



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

MASTELLI, Arturo

Serial No.: 09/824,661

Group/Art Unit: 3635

Filed: April 4, 2001

Examiner: *to be assigned*

For: METHOD AND APPARATUS FOR SECURING TILES TO CURTAIN  
WALL MULLIONS

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Honorable Commissioner Of Patents  
Washington, D.C. 20231

Sir:

Transmitted herewith are corrected Drawings in response to the Notice to File Corrected Application Papers dated May 15, 2001. No fee is believed to be due since the Drawings are being submitted within two months from the date of the Notice. However, to the extent that a petition to extend time is deemed necessary, Applicant hereby petitions for a sufficient extension of time to render the present submission timely. If necessary, please charge Deposit Account No. 04-1061 for the appropriate petition fee.

Respectfully submitted,

J. John Shimazaki  
Registration No. 37,236

DICKINSON WRIGHT PLLC  
Suite 800  
1901 L Street, N.W.  
Washington, D.C. 20036  
Telephone: (202) 457-0160  
Facsimile: (202) 659-1559  
**Date: 20 June 2001**  
Docket No.: 71312-0002  
DC 71312-2 70462



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/824,661	04/04/2001	Arturo Mastelli	71312-0002

CONFIRMATION NO. 1917

## FORMALITIES LETTER



\*OC00000006076819\*

DICKINSON WRIGHT PLLC  
1901 L Street, N.W., Suite 800  
Washington, DC 20036

Date Mailed: 05/15/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8-inch);

---

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE